

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S10 | 43 | 717/127-129.ccls. and (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/13 09:42 |
| L4 | 1 | "717"/\$.ccls. and l1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/13 09:42 |
| L3 | 1 | 717/127-129.ccls. and l1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/13 09:42 |
| L2 | 1 | (access same address\$4 same range) and (access near illegal near stor\$4) same area | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/13 09:41 |
| L1 | 6 | (access near illegal near stor\$4) same area | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/13 09:41 |
| S51 | 28 | (illegal near access) same storage same area | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/13 09:35 |
| S59 | 1 | "717"/\$.ccls. and (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) and micro adj controlle\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/10 11:06 |
| S9 | 6 | (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) and micro adj controlle\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/10 10:40 |
| S58 | 8 | (debug same logic\$4) and excep\$4 and (illegal same (address and range)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/10 10:39 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S57 | 8 | (debug same logic\$4) and excep\$4 and (illegal same (address and range)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/10 10:39 |
| S56 | 145 | (debug same logic\$4) and excep\$4 and address and range and illegal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 08:57 |
| S55 | 546 | (debug same logic\$4) and excep\$4 and address and range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 08:57 |
| S54 | 805 | (debug same log\$4) and excep\$4 and address and range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 08:57 |
| S53 | 805 | debug same log\$4 and excep\$4 and address and range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 08:56 |
| S52 | 8 | (illegal near access) same (address near range) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:35 |
| S50 | 0 | 717/124.ccls. and (illegal same access same storage same area) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:14 |
| S49 | 75 | illegal same access same storage same area | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:13 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S43 | 15 | execut\$5 near5 (swap\$4 or mov\$4 same code same flash same RAM) and (micro adj controller) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/14 12:35 |
| S42 | 899 | execut\$5 near5 (swap\$4 or mov\$4 same code same flash same RAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/14 12:34 |
| S41 | 10 | (monitor\$4 near2 execution\$4 near2 program\$4) and (stor\$4 near3 fault) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/14 12:33 |
| S40 | 51 | (monitor\$4 same execution\$4 near2 program\$4) and (stor\$4 near3 fault) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:57 |
| S39 | 135 | (monitor\$4 same execution\$4 same program\$4) and (stor\$4 near3 fault) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:57 |
| S18 | 1 | monitor\$4 same executio\$4 same debug adj logic and monitor\$4 and (initializ\$\$ near3 program\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:55 |
| S38 | 77 | (stor\$4 NEAR1 fault\$4 and memory near1 address) and embedded and control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:42 |
| S37 | 77 | (stor\$4 NEAR1 fault\$4 and memory near1 address) and embedded | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:42 |
| S36 | 347 | stor\$4 NEAR1 fault\$4 and memory near1 address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:41 |
| S35 | 490 | stor\$4 NEAR1 fault\$4 and memory near2 address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:41 |

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| S34 | 2987 | stor\$4 NEAR1 fault\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:40 |
| S28 | 1 | fault\$4 near10 memory NEAR3 address\$4 same (reset or initialize\$4) same micro adj control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:40 |
| S27 | 114717 | stor\$4 NEAR3 fault\$4 NEAR5 memory same address\$4 same reset or initialize\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:40 |
| S33 | 3 | (monitor\$ same program\$4 same execution\$4) and (debug with logic) and (micro adj control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 16:18 |
| S32 | 1 | (monitor\$ same program\$4 same execution\$4) and (debug with logic) near5 (micro adj control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 16:17 |
| S31 | 114 | (monitor\$ same program\$4 same execution\$4) and (debug with logic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 16:17 |
| S30 | 1 | (monitor\$ same program\$4 same execution\$4) near5 (debug with logic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 16:16 |
| S29 | 1 | fault\$4 near5 memory NEAR3 address\$4 same (reset or initialize\$4) same micro adj control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 16:15 |
| S26 | 114835 | stor\$4 same fault\$4 same memory same address\$4 same reset or initialize\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:54 |
| S25 | 114706 | stor\$4 same fault\$4 same memory same address\$4 same reset or initialize\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:54 |

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S24 | 0 | ("5809293" "5680620" "5680620" "6282701").pn. and stor\$4 and fault | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:53 |
| S23 | 0 | ("5809293" "5680620" "5680620").pn. and stor\$4 and fault | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:45 |
| S15 | 1 | ("5809293" "5680620").pn. and monitor\$4 same executio\$4 same debug adj logic and monitor\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:44 |
| S22 | 8 | ((initializ\$4 same program\$4) and (reset\$5 same start\$4)) same (micro adj control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:38 |
| S21 | 84 | (initializ\$4 same program\$4) same (micro adj control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:37 |
| S20 | 1 | monitor\$4 same executio\$4 same debug adj logic and monitor\$4 and (initializ\$4 same program\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:36 |
| S19 | 1 | monitor\$4 same executio\$4 same debug adj logic and monitor\$4 and (initializ\$4 near3 program\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:36 |
| S17 | 1845 | (reset\$4 same start\$5 same initializ\$4) same (micro adj controll\$4 or program) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:29 |
| S16 | 140993 | (reset\$4 or start\$5 or initializ\$4) same (micro adj controll\$4 or program) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:29 |
| S14 | 1 | ("5809293" "5680620").pn. and monitor\$4 same executio\$4 same debug adj logic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 13:23 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S13 | 1 | ("5809293" "5680620").pn. and monitor\$4 same executio\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 13:22 |
| S12 | 4 | ("5809293" "5680620").pn. and monitor\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 13:22 |
| S11 | 4 | ("5809293" "5680620").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 13:22 |
| S4 | 0 | ("5809293" "5680620").pn. and stack\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 13:16 |
| S8 | 5 | (monitor\$4 same execution\$4 same program\$4) and (debug same logic) and micro adj controlle\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:37 |
| S7 | 192 | (monitor\$4 same execution\$4 same program\$4) and (debug same logic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:29 |
| S6 | 8428 | monitor\$4 same execution\$4 same program\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:28 |
| S5 | 63273 | monitor\$4 and execution\$4 and program\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:28 |
| S3 | 0 | ("5809293" "5680620").pn. and stack | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:25 |
| S2 | 0 | ("5809293" "5680620").pn. and stack and (over adj flow)and (stor\$4 or memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:25 |

| | | | | | | |
|----|---|---|---|----|----|------------------|
| S1 | 0 | ("5809293" "5680620").pn. and stack and over adj flow and (stor\$4 or memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:25 |
|----|---|---|---|----|----|------------------|